1.	Collection of air in the pleural cavity is called							
	a) Hydrothorax	b)	Pyothorax					
	c) Haemothorax	. d)	Pneumothorax					
2.	Which one of the following is the most common p	oathogeni	c findings in an individua	l at risk fo				
	sudden cardiac death?							
	a) Aortic valve disease	b)	Mitral valve disease					
	c) Left ventricular dysfunction	d)	Atherosclerotic heart d					
3.	Intra aortic balloon pump therapy is most often used in the management of							
	a) Congestive cardiac failure	b)	Cardiogenic shock					
	c) Pulmonary edema		Aortic insufficiency					
4.	Which of the following drugs has been suggested	for patien	ts with atrial fibrillation?	•				
	a) Antihypertensive	b)	Anticoagulant					
	c) Antipyretics	d)	Nitroglycerine					
5.	Maximum score of Glasgow coma scale is	the territory and the second						
	a) 3	b)	5					
	c) 15	d)	10					
6.	Number of lobes in the right lung is							
	a) 1 b) 2	c)	3	d) 4				
7.	How many drops in a standard drip set make one	ml?						
	a) 15 b) 30	c)	40	d) 60				
8.	Pace maker of the heart is							
10	a) SA node	b)	AV node					
	c) Bundle of His	d)	Purkinge fibers					
9.	Which of the following is an isotonic solution?							
	a) Half normal saline	b)	One third normal saline					
	c) Mannitol	d)	Ringer lactate	•				
10.	Separation of wound edges at suture line is called							
	a) Herniation	b)	Wound evisceration					
	c) Wound dehiscence	d)-	Protrusion					
11.	Which of the following is an objective data?							
	a) Pain	c) .	Blood pressure					
	b) Itching	d)	Anxiety					
12.	What is the life threatening complication of fracture	re?						
	a) Compartment syndrome	b)	Infection					
	c) Fat embolism	d)	Hemorrhage					
13.	Injury of the upper roots of brachial plexus is know	n as						
	a) Facial palsy	b)	Erb's palsy					
	c) Bell's paralysis	d)	Klumpke's paralysis					
14.	Which of the following food to be avoided by a clie	nt with u	ric acid stone?					
	a) Rice	b)	Meat extract					
	c) Fruit	d)	Raw vegetables					

15.	which of the following symptoms in a patient receiving warrarin must be reported to the doctor?					
	a) Haematuria b) Constipation	c) Dyspnoea d) Hypotension				
16.	90 • 1 Special control (1997) 1997 (1997)	atheter into the heart and surrounding vessels to				
	obtain the structure and performance of hea					
	a) Angioplasty	b) Cardiac catheterization				
	c) Laser ablation	d) Cardio version				
17.	A framework of nursing care in which differen	ent nurses do different aspects of nursing care for a				
	client is					
	a) Auxiliary	b) Case method				
	c) Primary nursing	d) Functional nursing				
18.	According to Abraham Maslow hierarchy of	needs, the top most level of achievement is				
	a) self esteem	b) safety				
	c) self actualization	d) physiological				
19.	The transient loss of consciousness related t	o inadequate cerebral perfusion secondary to				
	decreased cardiac output is					
	a) palpation	b) pulsus paradoxes				
	c) paroxysmal nocturnal dyspnoea	d) syncope				
20.	Which of the following changes seen in ECG	indicates hyperkalemia?				
	a) T wave inversion, appearance of U wave	, ST depression				
	b) Tall T wave, widened QRS complex, prolo	onged QR interval				
	c) Shortened ST segment, widened T wave					
	d) Prolonged ST and QT interval					
21.	When a nurse is documenting a nursing activity before it is carried out, it is					
	a) routine activity	b) immediate activities				
	c) never acceptable	d) regular activities				
22.	Alzheimer's day is on					
		c) November 21 d) December 21				
23.	The part of body which controls movement,					
	a) Cerebrum b) Cerebellum	c) Mid Brain d) Pons				
24.	Which one of the following is the first drug of					
	a) Phenytoin	b) Phenobarbitone				
	c) Lorazepam	d) Carbamazepine				
25.	Which of the following methods is adopted for opening the airway in suspected spinal cord					
	injury?					
	a) Head tilt method	b) Chin lift method				
	c) Heimlich method	d) Jaw thrust method				
26.	Which of the following is the non modifiable	risk factor of CVA?				
	a) Smoking	b) Hypertension				
	c) Hereditary	d) Alcoholism				

Page 2 of 4

27.	Mr. X has undergone an attack of head injury. At present he is not able to talk but able to understand everything. Which of the following lobes of the brain is involved?						
	a) Parietal	b)	Temporal				
	c) Frontal	d)	Occipital				
28.	A high shrill cry in an infant may be a sign of						
	a) Early sign of seizure	b)	After voiding of urine				
	c) Normal response	d)	Increased ICP				
29.	World breast feeding week is on						
	a) July 1-7	b)	August 1-7				
	c) September 1-7	d)	October 1-7				
30.	What is the normal protein requirement per day?						
	a) 100gm/day	b)	2gm/kg body wt				
	c) 10gm/day	d)	1gm/kg body wt				
31.	The vitamin which is involved in clotting process is						
	a) A	b)	K				
	c) C	d)	D				
32.	A patient admitted with vomiting has the following	arterial	blood gas levels- pH 7.30, PaCO2 -36				
	mm Hg, PaO2 92 mm Hg and HCO3 18 mEq/L. What is the acid base balance that is present?						
	a) Metabolic acidosis	b)	Respiratory acidosis				
	c) Metabolic alkalosis	d)	Respiratory alkalosis				
33.	An inflammatory disease that involves degeneration of myelin sheath of peripheral nerves is						
	a) Myasthenia gravis	b)	Guillain Barre Syndrome				
	c) Huntington's disease	d)	Multiple Sclerosis				
34.	Normal pH of blood is						
	a) 7.5-7.6	b)	6.35-6.45				
	c) 6.5-7	d)	7.35-7.45				
35.	Informal communication is a term relating to						
	a) upward communication	b)	grapevine communication				
	c) written communication		oral communication				
36.	What is the method for collecting samples for culture and sensitivity from an indwelling urinary catheter?						
	a) Pour from the urine bag						
	 Aspirate with a sterile syringe and needle 						
	c) Disconnect catheter and collect						
27	d) Recatheterise and take						
37.	If the patient accidentally extubates, what is to be done immediately?						
	a) Watch for signs of respiratory failure						
	b) Administer humidified oxygen, reassure the patient and observe for normal respiration						
	c) Keep equipment ready for re-intubation						
	d) Inform doctor taking primary responsibility						

(an)

38.	A nurse is caring for a patient immediately after the removal of endo-tracheal tube. Which					
	among the follow	wing is to be reported immedia	ately?		1	
	a) stridor		b	o) occasional pir	occasional pink tinged sputum	
	c) respiratory r	ate of 22/mt	C	l) a few basilar l	ung crackles on the lef	
39.	Which of the following ventilations is not used in weaning time?					
1.5	a) SIMV		b)	Controlled ven	tilation	
	c) PSV		d)	T piece ventila	tion	
40.	What pressure c	an be used while suctioning a	child?			
	a) 60 mm of Hg	b) 120 mm of Hg	c) 180) mm of Hg	d) 100 mm of Hg	
41.	Which among th	e following is not a componen	t of VAP bur	ndle?		
	a) Head end ele	evation	b)	Peptic ulcer pro	evention	
	c) Bed sore pre	vention	d)	Deep vein thro	mbosis prophylaxis	
42.	Which finding wa	arrants neuro-imaging before I	lumbar pund	cture?		
	a) Papilledema		b)	Neck stiffness		
	c) Respiratory	acidosis	d)	Areflexia		
43.	The misconduct	or practice that is below the st	tandard exp	ected is		
	a) tort	b) crime	c) n	egligence	d) felony	
44.	The effectivenes	s of nurse-patient communica	tion is best e	evaluated by	-	
	a) medical asse	ssment	b)	patient feed ba	ick	
	c) patient's phy	siologic adaptations	d)	health team co	nferences	
45.	Thrombolytic age	ent for acute stroke is				
	a) Recombinan	t tissue plasminogen activator				
	b) Tranexamic a	acid				
	c) Heparin					
	d) Streptokinas	e				
46.		SCTIMST is				
l.	a) 239	b) 240	c)	253	d) 260	
47.		interpret auditing of past eve				
	a) concurrent a		b) d)			
	c) internal audi					
48.	When performing cardiac compression on an adult client, the nurse is aware that it is essential to exert vertical downward pressure, which depresses, the lower sternum at least					
	a) ½ to ¾ inch	b) 1½ to 2 inches		to 1 inch	d) 1 to ½ inches	
49.		ve precaution for the prevention	on of myast	henic and choline	ergic crises is	
		ations on time				
	,	and well balanced meals				
		e strengthening exercises				
		k early in the day				
50.		ention for medico legal record				
	a) 10 years	*	b)			
	c) till the legal s	settlement	d)	permanentl		

Page 4 of 4

(ma)

MFCP OF STAFF NURSE A TO B

ANSWER KEY(06/08/2018)

	AITE	J W EI	KETTOO	00/2010/	
1	d ·	21	c	41	c
	1				
2	d	22	b	42	а
3	b	23	b	43	c
	1	'			
4	b	24	c	44	b
	D	24	-		+
5		25	d	45	a
3	C	23	- u	43	
		26		46	
6	<u> </u>	26	<u>c</u>	46	C
7	a	27	c	47	d
					,
8	а	28	d	48	b
2					
9	d	29	b	49	a
10	c	30	d	50	d
11	c	31	b		
12	c	32	a		
13	d	33	b		
14	b	34	d		
14		34	- u	-	
15	9 - 2	25			
15	a	35	b		
		•			
16	b	36	b		
17	d	37	b		
18	c	38	a		
19	d	39	b		
	a				
	1 1		1	1	

Year)