

WRITTEN TEST FOR MFCP OF STAFF NURSE A TO B

1. Which of the following is not a part of staff development programme
 - a) In-service education
 - b) Continuing education
 - c) Induction training
 - d) Staff selection
2. Ways to prevent hospital acquired infection include all, **except**
 - a) Wearing mask
 - b) Gloving
 - c) Vaccination
 - d) Hand washing
3. Process of identifying duties and responsibilities related to a job is classified as
 - a) job specification
 - b) job description
 - c) job analysis
 - d) job mobility
4. What temperature is appropriate for storage of packs with platelet concentrate?
 - a) 2-6 degree C
 - b) 4 degree C
 - c) 20-24 degree C
 - d) Room temperature
5. Time interval between the entry of organism into the body and appearance of clinical signs and symptoms of the disease
 - a) Prodromal period
 - b) Incubation period
 - c) Acute period
 - d) Window period
6. An intra aortic balloon pump will decrease _____.
 - a) Myocardial oxygen demand
 - b) Cardiac output
 - c) Heart rate
 - d) Coronary perfusion
7. A confused patient who fell out of bed because side rails were not used is an example of which type of liability
 - a) Assault
 - b) Battery
 - c) Felony
 - d) Negligence
8. Thrombolytic agent for acute stroke is
 - a) Heparin
 - b) Streptokinase
 - c) Recombinant tissue plasminogen activator
 - d) Tranexamic acid

WRITTEN TEST FOR MFCP OF STAFF NURSE A TO B

9. Which nerve injury is susceptible while giving IM injection in dorsal gluteal site?
 - a) Phrenic nerve
 - b) Sciatic nerve
 - c) Vagus nerve
 - d) Ulnar nerve
10. A typical side effect of Adrenalin is
 - a) Feeling sleepy
 - b) Skin rashes
 - c) Tremor
 - d) Nasal congestion
11. The most reliable diagnostic test in Myasthenia Gravis is
 - a) Wada test
 - b) Trendelenburg test
 - c) Treadmill test
 - d) Tensilon test
12. The preferred position in which a patient with intracranial pressure to be placed is
 - a) Supine
 - b) Head up to 30 degrees
 - c) Lithotomy
 - d) Trendelenburg
13. In epinephrine unresponsive patients in cardiac arrest, which of the following drugs can be given as single dose?
 - a) Nor epinephrine
 - b) Dopamine
 - c) Vasopressin
 - d) Dobutamine
14. The most common manifestation of a ruptured cerebral aneurysm is
 - a) Tonic-clonic seizure
 - b) Decerebrate posturing
 - c) Sudden severe headache
 - d) Narrowed pulse pressure
15. Of the following which is a weaning mode with ventilator?
 - a) Controlled Mandatory Ventilation
 - b) Inverse ratio ventilation
 - c) 'T' piece
 - d) Pressure support
16. Ideal position to prevent aspiration during nasogastric tube feeding is -----
 - a) Side lying position
 - b) Head end 30 degree elevated
 - c) Head end 40 degree elevated
 - d) Supine position

WRITTEN TEST FOR MFCP OF STAFF NURSE A TO B

17. Which of the following should be looked for when positive pressured mechanical ventilation is applied in a patient?
- a) Airway obstruction
 - b) Pneumothorax
 - c) Bronchospasm
 - d) Increased secretion
18. What pressure can be used while suctioning a child?
- a) 60 mm of Hg
 - b) 100 mm of Hg
 - c) 120 mm of Hg
 - d) 180 mm of Hg
19. What should be the first step the nurse should take when seeing a straight ECG base line?
- a) Check patient's condition and assess
 - b) Unplug other electrical equipments and note any change in the wave form
 - c) Remove loose electrode and re-apply.
 - d) Start CPR
20. Blood supply to the brain is from
- a) Rt coronary artery
 - b) Circle of Willis
 - c) Ophthalmic artery
 - d) Lt anterior descending artery
21. In Cushing's triad which among the following is most relevant
- a) Hypertension, tachycardia, tachypnea
 - b) Hypotension, bradycardia, tachypnea
 - c) Hypertension, bradycardia, abnormal respiratory pattern
 - d) Hypotension, bradycardia, normal respiration
22. The nurse would suspect a patient after craniotomy is developing meningitis if the patient exhibits
- a) negative Kernig sign
 - b) presence of nuchal rigidity
 - c) negative Brudzinski sign
 - d) Glasgow coma scale of 15
23. Pill rolling motion of the hand is noted in
- a) Alzheimer's disease
 - b) myasthenia gravis
 - c) Stroke
 - d) Parkinson's disease
24. Strategies for prevention of Ventilator Associated Pneumonia include all Except
- a) Prophylactic antibiotic therapy
 - b) Meticulous oral hygiene
 - c) Frequent suctioning of subglottic secretions
 - d) Elevation of head end to minimum of 30 degree

WRITTEN TEST FOR MFCP OF STAFF NURSE A TO B

25. The immediate response of the nurse on hearing the low pressure alarm on ventilator should be
- Administer Oxygen
 - Check vital signs
 - Initiate manual ventilation
 - Call the anesthetist
26. Complications of atrial fibrillation is caused by
- Stasis of blood
 - Increased cardiac output
 - Irrégular rhythm
 - decreased cardiac output
27. The route of transmission of MRSA is
- Sharing of instruments
 - Blood transfusion
 - Re-use of disposable items
 - Hand carriage
28. The salient features of nurses records include the following **Except**
- Written with Ink
 - Clear and concise
 - Counter signed by the doctor
 - Should not have overwriting
29. In which of the under mentioned conditions, is the patient at high risk for developing Stroke
- Mitral Stenosis
 - Aortic regurgitation
 - Atrial Septal defect
 - Pulmonary Stenosis
30. A Four year old child is brought to the OPD after a fall from a bicycle. Assessment of raised ICP include
- Bulging of anterior fontanel
 - Repeated vomiting
 - Bluish swelling on the forehead
 - Pain on moving the right upper limb
31. Bell's palsy is the paralysis of the _____ nerve
- Trigeminal nerve
 - Facial nerve
 - Optic nerve
 - Occulomotor nerve
32. A "blue spell" of tetralogy of Fallot is treated with all the following except
- Oxygen
 - Knee Chest position
 - Morphine
 - Digoxin

WRITTEN TEST FOR MFCP OF STAFF NURSE A TO B

33. Homan's sign is a symptom of which of the following condition
- a) Bed sore
 - b) Meningitis
 - c) DVT
 - d) Stroke
34. How many drops in a micro drip set makes 1 ml?
- a) 60
 - b) 100
 - c) 30
 - d) 15
35. Which drug is administered during anaphylaxis
- a) Digoxin
 - b) Sodium Bicarbonate
 - c) Adrenaline
 - d) Atropin
36. Which of the following is not a colloid?
- a) Albumin
 - b) Dextran
 - c) Haemocoel
 - d) Ringer lactate
37. Level of consciousness is assessed by
- a) Braden scale
 - b) Glasgow coma scale
 - c) NIHSS score
 - d) APGAR score
38. Corrective surgery for TGA?
- a) Senning operation
 - b) B – T shunt
 - c) Arterial switch operation
 - d) Ross procedure
39. Which is the common rhythm that leads to cardiac arrest in children?
- a) Ventricular Tachycardia
 - b) Ventricular fibrillation
 - c) Bradycardia
 - d) Supraventricular Tachycardia
40. Resuscitation begins with
- a) Opening air way
 - b) Chest compression
 - c) Giving breathing
 - d) Precordial thump
41. Scale used for predicting bed sore?
- a) Glasgow come scale
 - b) Braden scale
 - c) NIPC Scale
 - d) VRS

WRITTEN TEST FOR MFCP OF STAFF NURSE A TO B

42. To respect a patient's personal space and territoriality, the nurse should
- Keep the curtains pulled around the patients bed
 - Avoid the use of touch
 - Explain the nursing care and procedure
 - Stand 8feet away from the bed ,if possible
43. What is the immediate step to be initiated for a needle stick injury?
- Wash with soap and water
 - Report to Nursing Supervisor
 - Initiate a Hazard report
 - Wash with bleaching powder
44. The most common presentation of cerebral abscess is
- Fever
 - Seizure
 - Head ache
 - Nausea and vomiting
45. Which of the following treatment modality is not indicated in patients with Guillain - Barre Syndrome
- Plasmapheresis
 - Intravenous immunoglobulin
 - High dose corticosteroids
 - Intubation
46. Legibility of records means
- Easy to handle
 - Easy to transfer
 - Easy to read
 - Easy to retrieve
47. Which of the following is not a step involved in communication process.
- Information source and encoding
 - Channel
 - Decoding and feedback
 - Evaluation
48. Collaboration in providing care to a group of patients under the direction of a professional nurse is
- Primary method
 - Case method
 - Modular method
 - Team method
49. Which of the following involves all the assessment methods that occur after the patient has been discharged
- Retrospective evaluation
 - Quality assurance
 - Auditing
 - Concurrent evaluation
50. Grading of SAH is done by which of the following method
- Allen's test
 - Wada test
 - Glasgow coma scale
 - Hunt and Hess scale

MFCP OF STAFF NURSE A TO B (13/03/2018)

ANSWER KEY

1	d	21	c	41	b
2	c	22	b	42	c
3	b	23	d	43	a
4	c	24	a	44	c
5	b	25	c	45	c
6	a	26	a	46	c
7	d	27	d	47	d
8	c	28	c	48	d
9	b	29	a	49	a
10	c	30	b	50	d
11	d	31	b		
12	b	32	d		
13	c	33	c		
14	c	34	a		
15	d	35	c		
16	b	36	d		
17	b	37	b		
18	b	38	c		
19	a	39	c		
20	b	40	b		